MSDS ATTACHMENT

PLEASE ATTACH THIS COMPLETED SHEET TO THE MSDS FOR:

PRODUCT:

PFERD Polifan Flap Disc PFF 100mm Z 60 PSF

DATE:

(MSDS date)

27.10.2020

1. Manufacturer/Supplier:

PPS Industries Limited

86 Hugo Johnston Drive, Auckland

New Zealand

P.O.Box 12823, Penrose, Auckland 1642

Phone: 64 9 579-1001 Facsimile: 64 9 579-9497

Emergency Phone: 0800 657-894 Website: www.ppsindustries.co.nz

Emergency Information:

National Poison Centre

0800 764-766

Chemcall 24/7 Emergency Response Service :

0800 243-622

13. Disposal Considerations:

Product

Recommendation - Consult local or national regulations to ensure proper disposal.

Packaging

Disposal must be made according to official regulations.

16. Other Information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.





Reference/Productname: 69300661

FEPA - 3.2

Version/ Revision (date): 27.10.2020 Printing date:

27.10.2020

page 1 of 7

Voluntary product information based on the format of a safety data sheet for coated abrasives

1. Identification of the product and of the company/undertaking

1.1 Product identifier

FEPA - 3.2 POLIFAN PFF 100 Z60 PSF STEELOX/16,0 69300661

1.2 Use of the product

Coated Abrasives for grinding various materials.

1.3 Details of the supplier of the voluntary product information:

Company:

August Rüggeberg GmbH & Co. KG

PFERD-Tools

Address:

Hauptstraße 13

D-51709 Marienheide

Phone:

+49(0)2264/9-0

Fax: +49(0)2264/9-400

E-mail:

info@pferd.com

1.4 Emergency telephone number:

+49 (0)2264-9-0 (08:00 - 16:00 Uhr, GMT)

2. Hazards identification

2.1 Classification

Not applicable.

Abrasives are articles and not dangerous substances or mixtures according to Regulation (EC) N° 1272/2008. See also section 8 and 16.

2.2 Label elements

Abrasives are articles and not dangerous substances or mixtures and therefore no labelling is required according to Regulation (EC) N° 1272/2008.

2.3 Other hazards

Not known.





Reference/Productname: 69300661

FEPA - 3.2

Version/ Revision (date): 27.10.2020 Printing date:

27.10.2020

page 2 of 7

3. Composition/information on ingredients

The product contains the following ingredients which are classified according to Regulation (EC) Nr. 1272/2008 or for which a community occupational exposure limit value exists:

	HUDSIANCE 1		GAS-N* #			Hazard classes/ hazard categories :	(EC) N° 1272/2008 (CLP) Hazard statements
Γ	Cryolite	237-410-6	13775-53-6;	01-	0.0 - 9.5	Acute Tox. 4	H302
	·		15096-52-3	2119511565-		Acute Tox. 4	H332
				43-xxxx		STOT RE 1	H372
						Aquatic Chronic 2	H411

(For full text of H- and R-phrases see section 16.

4. First aid measures

See also section 8 and 16.

4.1 Description of first aid measures

Inhalation:

Not possible, due to the form of the product.

Eye contact:

Not possible, due to the form of the product.

Skin contact:

No harmful effects known.

Ingestion:

Not likely, due to the form of the product; if necessary contact physician.

Note to physician:

Not available.

4.2 Most important symptoms and effects, both acute and delayed

Not known.

4.3 Indication of any immediate medical attention and special treatment needed

Not relevant. Treat symptomatically.

5. Fire fighting measures

5.1 Extinguishing media

Extinguishing media: water, foam, sand, powder or C02 as appropriate for surrounding materials.

5.2 Special hazards arising from the product

Toxic fumes may occur. Use respiratory protective equipment.

5.3 Advice for fire fighters

Extinguishing materials should be selected according to the surrounding area.

6. Accidental release measures

Not applicable.

7. Handling and storage

Follow instructions of grinding machine manufacturers and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.





Reference/Productname: 69300661

FEPA - 3.2

Version/ Revision (date): 27.10.2020 Printing date:

27.10.2020

page 3 of 7

8. Exposure controls/personal protection

8.1 Control parameters

Before grinding it is recommended to perform a risk assessment and to use personal protection equipment accordingly.

Occupational exposure limit values and/or biological limit values

Keep exposure to the following components under surveillance. (Observe also the regional official regulations)

			Occupation	O Baleria De		
Light value type (country of origin)	Substance	CAS-N*	Long term:	The second secon	Peak limit	Source remark
OEL (IE)	dust - general, not otherwise specified or classified		4 A mg/m³, 10 E mg/m³			
OEL (HU)	dust - general, not otherwise specified or classified		6 A mg/m³, 10 E mg/m³	:		
VLEP/GWBB (BE)	dust - general, not otherwise specified or classified		3 A mg/m³, 10 E mg/m³			
MAK (AT)	dust - general, not otherwise specified or classified		5 A mg/m³, 10 E mg/m³	10 A mg/m³, 20 E mg/m³		GKV 2011
OEL (SE)	dust - general, not otherwise specified or classified		5 A mg/m³; 10 E mg/m³			
VLA (ES)	dust - general, not otherwise specified or classified	·	3 A mg/m³; 10 E mg/m³			
OEL (FR)	dust - general, not otherwise specified or classified		5 A mg/m³; 10 E mg/m³			
OEL (DK)	dust - general, not otherwise specified or classified		10 E mg/m³	20 E mg/m³		
AGW (DE)	dust - general, not otherwise specified or classified		1,25 A mg/m³; 10 E mg/m³		2(II)	TRGS 900
OEL (LV)	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as F)			
OEL (IE)	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as F)			
WEL (GB)	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as F)			
VLEP/GWBB (BE)	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as			
VLA (ES)	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as F)			
OEL (SE)	Cryolite	13775-53-6; 15096-52-3	2 mg/m³ (as F)			





Reference/Productname: 69300661

FEPA - 3.2 Version/ Revision (date): 27.10.2020

Printing date: 27.10.2020

page 4 of 7

Amit value type (country of origin)	Substance	GAS-N ^a .	Coupation Long terms	a limitvälge Shortterm	Peak limit	Source; remark
OEL (PL)	Cryolite	13775-53-6; 15096-52-3	1 mg/m³ (as F)	3 mg/m³ (as F)		
OEL (IT)	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as F)			
OEL (HU)	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as F)	10 mg/m³ (as F)		
OEL (FR)	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as F)			
OEL (DK)	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as F)	5 mg/m³ (as F)		
MAK (AT)	Cryolite	13775-53-6; 15096-52-3	2,5 E mg/m³ (as F)	12,5 E mg/m³ (as F), 30 (mlw) min, 2x		GKV 2011
EU	Cryolite	13775-53-6; 15096-52-3	2,5 mg/m³ (as F)			2000/39/EC
AGW (DE)	Cryolite	13775-53-6; 15096-52-3	1 E mg/m³ (as F)		4(II)	TRGS 900; Y, H

A = respirable fraction; E = inhalable fraction

Note: Hazardous dust of the workpiece material may be generated during grinding and/or sanding operations. National regulations for dust exposure limit values have to be taken into consideration.

). Umirvalue type (cathiry of orain)	Substance	CAS-N**	Parameter	Here's what a regular and way	Analysis material	A POTA INTERIOR	
BGW (DE)	Cryolite	13775-53-6; 15096-52-3	Fluoride	4,0 mg/g Creatinine	υ	d	TRGS 303
BGW (DE)	Cryolite	13775-53-6; 15096-52-3	Fluoride	7,0 mg/g Creatinine	U	b	TRGS 303

8.2 Exposure controls

8.2.1.4.

8.2.1. Individual protection measures

8.2.1.1.	Respiratory	Use respiratory protective equipment (type depends on specific application and material

protection: being ground)

8.2.1.2. Hand protection: Wear protective gloves (type depends on specific application and material being ground)

8.2.1.3. Eye protection: Wear protective goggles or face shield (type depends on specific application and

material being ground)

8.2.1.5. Body protection: Use protective clothing (type depends on specific application and material being ground)

Hearing protection: Use hearing protection(type depends on specific application and material being ground)





Reference/Productname: 69300661

FEPA - 3.2

Version/ Revision (date): 27.10.2020 Printing date:

27.10.2020 page 5 of 7

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1.1

Physical state:

solid

9.1.2

Colour:

different

9.1.3

Solubility in water:

not determined

9.2 Other information

none

10. Stability and reactivity

10.1 Reactivity

Coated abrasives are stable when handled or stored correctly.

10.2 Chemical stability

No decomposition in normal use.

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

Coated Abrasives are stable when handled or stored correctly.

10.5 Incompatible materials

No dangerous reactions known.

10.6 Hazardous decomposition products

At temperatures exceeding 250 °C hazardous or toxic decomposition products may be generated.

11. Toxicological information

11.1 Information on toxicological effects

No toxicological effects if inhaled or swallowed or with eye or skin contact are known.

See also section 8.





Reference/Productname: 69300661

FEPA - 3.2

Version/ Revision (date): 27.10.2020 Printing date:

27.10.2020

page 6 of 7

12. Ecological information						
12.1 Toxicity No effects known.						
i 2.2 Persistence and degradability No biodegradable potentials known.						
12.3 Bioaccumulative potential No potentials known.						
12.4 Mobility in soil No potentials known.						
12.5 Results of PBT and vPvB assessment Not relevant.						
12.6 Other adverse effects No effects known.						
13. Disposal considerations						
13.1 Waste treatment methods						
13.1.1 Product Follow national and regional regulations.						
Due to the ingredients and properties disposal as non hazardous waste (2000/532/EC) is possible if no hazardous materials are added to the abrasives (EWC - No. 120121).						
X Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) (EWC - No. 120120).						
13.1.2. Packing Follow national and regional regulations.						
14. Transport information The product is not covered by international regulation on the transport of dangerous goods.						
15. Regulatory information						
15.1 Safety, health and environmental regulations/legislation specific for the product No specific labelling requirements under respective EC directives.						
15.2 Chemical safety assessment Not relevant.						





Reference/Productname: 69300661

FEPA - 3.2

Version/ Revision (date): 27.10.2020 Printing date:

27.10.2020

page 7 of 7

16. Other information

Changes to the previous versions See sections 1 to 16.

Literature and data sources

Regulations

REACH Regulation (EC) Nr. 1907/2006 Regulation (EC) N° 1272/2008 Directive 98/24/EC Directive 2000/39/EC Directive 75/324/EEC Decision 2000/532/EC Transport regulations according to ADR, RID und IATA.

Hazard statements referred to in section 2 and 3

According to Regulation (EC) N° 1272/2008:

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H372 Causes damage to organs < lungs and skeleton> through prolonged or repeated exposure < inhalation and oral>. H411 Toxic to aquatic life with long lasting effects.

The above information is based on our current standard of knowledge and does not constitute any warranty of conditions of the product. The information does not form part of any contractual agreement. It remains the user's responsibility to adhere existing laws and regulations.

Issued by: Sales

Contact: +49(0)2264/9-0