MSDS ATTACHMENT

PLEASE ATTACH THIS COMPLETED SHEET TO THE MSDS FOR:

PRODUCT:

ACTION Anti Corrosion Twin Spray Nozzle AC90

DATE:

(MSDS date)

08/11/2022

1. Manufacturer/Supplier:

PPS Industries Limited

86 Hugo Johnston Drive, Auckland

New Zealand

P.O.Box 12823, Penrose, Auckland 1642

Phone: 64 9 579-1001 Facsimile: 64 9 579-9497

Emergency Phone: 0800 657-894 Website: www.ppsindustries.co.nz

Emergency Information:

National Poison Centre

0800 764-766

Chemcall 24/7 Emergency Response Service :

0800 243-622

13. Disposal Considerations:

Product

Recommendation - Consult local or national regulations to ensure proper disposal.

Packaging

Disposal must be made according to official regulations.

16. Other Information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

SAFETY DATA SHEET

ACTION CAN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

AC-90 LPG

of the mixture

Registration number

None

Synonyms

UDS000733AE

Product code

08-November-2022

Version number

1.0

Revision date

08-November-2022

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Anti Corrosion Products

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company name

CRC Industries UK Ltd.

Address

Wylds Road

Castlefield Industrial Estate
TA6 4DD Bridgwater Somerset

United Kingdom

Telephone

+44 1278 727200 +44 1278 425644

Fax E-mail

hse.uk@crcind.com

Website

www.crcind.com

Company name

CRC Industries Europe by

Address

Touwslagerstraat 1

9240 Zele

Belgium

Telephone

+32(0)52/45.60.11

Fax

+32(0)52/45.00.34

E-mail

hse@crcind.com

Website

www.crcind.com

1.4. Emergency telephone

Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT)

Category 1

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Aerosols

H222 - Extremely flammable

aerosol.

H229 - Pressurized container: May

burst if heated.

Health hazards

Specific target organ toxicity - single exposure

Category 3 narcotic effects

H336 - May cause drowsiness or

dizziness.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

.,,,,,,

Material name: AC-90 LPG - Action Can - UK
UDS000733AE Version #: 1.0 Revision date: 08-November-2022 Issue date: 08-November-2022

Hazard pictograms



Signal word

Danger

Hazard statements

H222

Extremely flammable aerosol.

H229

Pressurized container: May burst if heated.

H336

May cause drowsiness or dizziness.

Precautionary statements

Prevention

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211

Do not spray on an open flame or other ignition source.

P251

Do not pierce or burn, even after use. Avoid breathing mist/vapours.

P261

P271

Use only outdoors or in a well-ventilated area.

Response

Not assigned.

Storage

P410 + P412

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|--|------------|-------------------|------------------------|-----------|-------|
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics | 30 - 60 | - 919-857-5 | 01-2119463258-33 | - | |
| Classification: | Flam. Liq. | 3;H226, STOT SE 3 | H336, Asp. Tox. 1;H304 | | |
| Highly refined low mineral | 1 - 20 | .=: | - | .= | |
| oils/hydrocarbons | | | | | |
| Classification: | Asp. Tox. | 1;H304 | | | |

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

centre or doctor/physician if you feel unwell.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Ingestion

delayed

Rinse with water. Get medical attention if irritation develops and persists. In the unlikely event of swallowing contact a physician or poison control centre.

4.2. Most important symptoms

and effects, both acute and

May cause drowsiness or dizziness. Headache. Nausea, vomiting.

Material name: AC-90 LPG - Action Can - UK SDS GREAT BRITAIN 4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

Extremely flammable aerosol.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2),

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5,2, Special hazards arising from the substance or mixture Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire fighting procedures

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Use water spray to cool unopened containers. In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Avoid breathing mist/vapours. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground,

6,3. Methods and material for containment and cleaning up Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material.

Large Spills: Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Scoop up used absorbent into drums or other appropriate container. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Avoid breathing mist/vapours. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Not available.

procedures

Material name: AC-90 LPG - Action Can - UK

Derived no effect levels (DNELs)

General population

Components Value Assessment factor Notes

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (CAS -)

Long-term, Systemic, Dermal

300 mg/kg

Long-term, Systemic, Inhalation

900 mg/m3

Long-term, Systemic, Oral

300 mg/kg

Workers

Components Value Assessment factor Notes

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (CAS -)

Long-term, Systemic, Dermal

300 mg/kg

Short-term, Systemic, Inhalation

1500 mg/m3

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.

Skin protection

- Hand protection When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough

time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are

recommended. Suitable gloves can be recommended by the glove supplier.

recommended. Salado graves can be recommended by it

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapour cartridge and full facepiece. (Filter type A)

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Liquid.

Form

Aerosol. Yellow.

Colour

Odour

Characteristic odor. Not available.

Odour threshold

Not applicable.

Melting point/freezing point

Not applicable.

Initial boiling point and boiling

Not available. 145 °C (293 °F)

range

Flash point

43.0 °C (109.4 °F) Closed cup

Evaporation rate

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

0.6 %

Explosive limit – upper

7 %

(%)

Material name: AC-90 LPG - Action Can - UK

Vapour pressure

Not available.

Vapour density

Not available.

Relative density

0.84 g/cm3 20 °C

Solubility(ies)

Solubility (water)

Insoluble in water

Partition coefficient

Not available.

(n-octanol/water)

200 °C (392 °F)

Auto-ignition temperature **Decomposition temperature**

Not available.

Viscosity

Not available.

Explosive properties

Not explosive.

Oxidising properties

Not oxidising.

9.2. Other information

VOC 576 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Material is stable under normal conditions.

10,3, Possibility of hazardous

No dangerous reaction known under conditions of normal use.

reactions

10.4, Conditions to avoid Avoid high temperatures.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous

Carbon oxides.

decomposition products

SECTION 11: Toxicological information

General information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation

May cause drowsiness or dizziness. Headache. Nausea, vomiting.

Skin contact

Based on available data, the classification criteria are not met.

Eye contact Ingestion

Based on available data, the classification criteria are not met.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms

May cause drowsiness or dizziness. Headache. Nausea, vomiting.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Components

Test Results

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Acute **Dermal**

LD50

Rabbit

> 5000 mg/kg

Oral

LD50

Rat

> 5000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Germ cell mutagenicity Carcinogenicity

Skin sensitisation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure

Material name: AC-90 LPG - Action Can - UK

Aspiration hazard

Not likely, due to the form of the product.

Mixture versus substance

information

Not available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components

Test Results

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Acute

Other

LC50

Pseudokirchnerella subcapitata

> 1000 mg/l, 72 h

Aquatic

Acute

Fish

LC50

Oncorhynchus mykiss

> 1000 mg/l

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient

Not available.

n-octanol/water (log Kow)

Not available.

12,4, Mobility in soil

No data available.

12.5. Results of PBT and vPvB

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

assessment

(EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers,

EU waste code

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions

Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number

UN1950

14.2. UN proper shipping

AEROSOLS, flammable

name

14.3. Transport hazard class(es)

Class Subsidiary risk 2.1

Label(s)

2.1

Hazard No. (ADR)

Not assigned,

Tunnel restriction code ADR/RID - Classification 5F

code:

14.4. Packing group

Not assigned.

14.5. Environmental hazards No

14.6. Special precautions

Not assigned.

for user

RID

14.1. UN number

UN1950

14.2. UN proper shipping AEROSOLS, flammable name 14.3. Transport hazard class(es) Subsidiary risk 2.1 Label(s) 14.4. Packing group Not assigned. 14.5. Environmental hazards No 14.6. Special precautions Not assigned. for user ADN 14.1. UN number UN1950 14.2. UN proper shipping AEROSOLS, flammable 14.3. Transport hazard class(es) Class 2.1 Subsidiary risk Label(s) 2.1 14.4. Packing group Not assigned. 14.5. Environmental hazards No 14.6. Special precautions Not assigned. for user IATA 14.1. UN number UN1950 Aerosols, flammable 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class 2.1 Subsidiary risk 14.4. Packing group Not assigned. 14.5. Environmental hazards No **ERG Code** 10L 14.6. Special precautions Not assigned. for user Other information Allowed with restrictions. Passenger and cargo aircraft Allowed with restrictions. Cargo aircraft only IMDG 14.1. UN number UN1950 Aerosols, flammable 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class Subsidiary risk 14.4. Packing group Not assigned. 14.5. Environmental hazards Marine pollutant **EmS** F-D, S-U 14.6. Special precautions Not assigned. for user 14.7. Transport in bulk Not established. according to Annex II of MARPOL 73/78 and the IBC Code



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed.

Other regulations

assessment

Not available.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

Material name: AC-90 LPG - Action Can - UK

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer). RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VOC: Volatile organic compounds.

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

References

Information on evaluation method leading to the classification of mixture

Not available. Not available.

Full text of any statements, which are not written out in full under sections 2 to 15

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

Revision information

Training information

Not available.

None.

Disclaimer

CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.

Material name: AC-90 LPG - Action Can - UK