# **MSDS ATTACHMENT**

# PLEASE ATTACH THIS COMPLETED SHEET TO THE MSDS FOR:

**PRODUCT:** 

**BONDERITE M-ZN 404MU** 

DATE:

(MSDS date)

01.06.2017

1. Manufacturer/Supplier:

**PPS Industries Limited** 

86 Hugo Johnston Drive, Auckland

New Zealand

P.O.Box 12823, Penrose, Auckland 1642

Phone: 64 9 579-1001 Facsimile: 64 9 579-9497

Emergency Phone: 0800 657-894 Website: www.ppsindustries.co.nz

**Emergency Information:** 

National Poison Centre

0800 764-766

Chemcall 24/7 Emergency Response Service :

0800 243-622

13. Disposal Considerations:

Product

Recommendation - Consult local or national regulations to ensure proper disposal.

Packaging

Disposal must be made according to official regulations.

16. Other Information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.



## **Safety Data Sheet**

**BONDERITE M-ZN 404 MU** 

Page 1 of 9

SDS No.: 429675

V000.0

Revision: 01.06.2017 printing date: 01.06.2017

#### IDENTIFICATION OF THE MATERIAL AND SUPPLIER **SECTION 1**

**Product name:** 

BONDERITE M-ZN 404 MU

Intended use:

Pigment

Supplier:

Henkel New Zealand Ltd. 2 Allens Road Auckland, 2014 New Zealand

Phone:

+64 (9) 272 6710

**Emergency information:** 

24 HOUR EMERGENCY CONTACT NUMBER 0800 243 622

#### SECTION 2 HAZARDS IDENTIFICATION

## Classification of the substance or mixture

#### **HSNO Classification:**

8.1A Class 8 - Corrosiveness, Subclass 8.1 - Metallic corrosive, Hazard Classification A

Class 8 - Corrosiveness, Subclass 8.2 - Skin corrosive, Hazard Classification B

Class 8 - Corrosiveness, Subclass 8.3 - Eye corrosive, Hazard Classification A

Class 6 - Toxicity, Subclass 6.1 - Acutely toxic, Hazard Classification D

Class 6 - Toxicity, Subclass 6.5 - Sensitisation, Hazard Classification B

Class 6 - Toxicity, Subclass 6.7 - Carcinogen, Hazard Classification A

Class 6 - Toxicity, Subclass 6.9 - Target organ, Hazard Classification B

Class 9 - Ecotoxicity, Subclass 9.1 - Aquatic, Hazard Classification B

## **GHS Classification:**

**Hazard Category** Route of Exposure **Hazard Class** 

Corrosive to metals Category 1

Category 4 Oral Acute toxicity Acute toxicity Category 4 Dermal Category 1B

Skin corrosion/irritation Serious eye damage/eye irritation

Category 1 Skin sensitizer Category 1 Carcinogenicity Category 1A-1C Category 2

Target Organ Systemic Toxicant -

Repeated exposure

Chronic hazards to the aquatic

environment

Category 2

#### Hazard pictogram:



Signal word:

Danger

SDS No.: 429675 V000.0

## **BONDERITE M-ZN 404 MU**

Hazard statement(s):

H290 May be corrosive to metals.

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P234 Keep only in original container.

P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash affected area thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353+P315 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical

advice/attention.

P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical attention. P312 Call a POISON CENTER/doctor if you feel unwell.

P314 Get medical attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical attention.

P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in container with a resistant inner liner.

Disposal:

P501 Dispose of contents/container in accordance with national regulation.

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

General chemical description:

Mixture

alcohol

Type of preparation:

Base

## Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Zinc nitrate	7779-88-6	10- 30 %
Orthophosphoric acid	7664-38-2	< 10 %
Zinc hexafluorosilicate	16871-71-9	< 10 %
NH4H-difluoride	1341-49-7	< 1%
Hydrogen fluoride (HF)	7664-39-3	< 1%
Nickel dinitrate	13138-45-9	< 1%
non hazardous ingredients~		60- 100 %

## **BONDERITE M-ZN 404 MU**

V000.0

SDS No.: 429675

FIRST AID MEASURES SECTION 4

Rinse mouth, do not induce vomiting, consult a doctor. Ingestion:

Skin: Rinse immediately with plenty of running water (for 10 minutes), seek medical attention

from a specialist.

Immediately flush eyes with soft jet of water or eye rinse solution for at least 15 minutes. Eyes:

Hold eyelid wide-open. Seek a doctor/hospital, eye flushing should continue during

transportation to a doctor.

Move to fresh air, consult doctor if complaint persists. Inhalation:

Normal washroom facilities First Aid facilities: Eye wash and safety shower

Most important symptoms caused The product may cause serious eye damage.

by exposure:

Medical attention and special

Treat symptomatically. treatment:

## SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Foam, extinguishing powder, carbon dioxide.

Improper extinguishing media: foam

High pressure waterjet

Decomposition products in case of

fire::

Thermal decomposition can lead to release of irritating gases and vapors.

Carbon monoxide. Carbon dioxide.

Particular danger in case of fire:: Non combustible - Danger of decomposition if exposed to heat.

Formation of toxic gases is possible during heating or in fires.

Special protective equipment for

fire-fighters:

Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).

Additional fire fighting advice: Do not store or use near heat, spark, open flame or other sources of ignition.

2X

Hazchem code:

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Ensure adequate ventilation. Personal precautions:

Avoid contact with skin and eyes. Wear protective equipment.

Environmental precautions: Do not let product enter drains.

Prevent further leakage or spillage if safe to do so.

Clean-up methods: Sweep up spilled material. Avoid creating dust.

Keep in suitable and closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Precautions for safe handling: Do not inhale vapors and fumes.

Avoid skin and eye contact.

When using do not eat, drink or smoke.

Wear suitable protective clothing, safety glasses and gloves.

V000.0

## **BONDERITE M-ZN 404 MU**

Conditions for safe storage:

Protect against contamination.

No particular measures required. Store in sealed original container. Do not expose to direct heat.

Must be stored in the facility for the dangerous goods

Observe VCI storage rules.

Do not store together with flammable solutions.

Suitable materials with product:

Stainless steel cardboard

Unsuitable materials with

product:

aluminum

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## Workplace exposure standards:

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Ceiling	STEL (ppm)	STEL (mg/m3)
PHOSPHORIC ACID 7664-38-2			1	-	-	_
FLUORIDES, AS F 16871-71-9			2.5	-		-
FLUORIDES, AS F 1341-49-7			2.5	-	,	,
HYDROGEN FLUORIDE, AS F 7664-39-3			-	3 ppm		
NICKEL SOLUBLE COMPOUNDS, AS NI 13138-45-9			0.1	٠	-	

Engineering controls:

Handle in accordance with good industrial hygiene and safety practice

Ensure adequate ventilation.

Eye protection:

For eye protection, use tightly fitted safety goggles and a face-shield

Skin protection:

Wear suitable protective clothing.

Suitable protective gloves.

Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

Respiratory protection:

If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

green

Slightly Hazy

Odor: Specific gravity: mild 1.49 - 1.52

V000.0

## **BONDERITE M-ZN 404 MU**

## SECTION 10. STABILITY AND REACTIVITY

Reactivity:

This material may self-react at temperatures above 100 °C, possibly releasing toxic gases.

Stability:

Stable under normal conditions of temperature and pressure.

Conditions to avoid:

Excessive heat.

Incompatible materials:

Reacts with acids.

Hazardous decomposition

products:

Thermal decomposition can lead to release of irritating gases and vapors.

Carbon monoxide. Carbon dioxide. Oxides of nitrogen.

## SECTION 11 TOXICOLOGICAL INFORMATION

Health Effects:

Ingestion:

Harmful if swallowed.

May cause burns of mouth and throat if swallowed.

Skin:

Harmful in contact with skin. May cause skin burns.

Symptoms may include redness, edema, drying, defatting and cracking of the skin.

May cause skin sensitization.

Eyes:

Causes serious eye damage.

Symptoms may include severe irritation, pain, tearing, blurred vision.

Inhalation:

Severe respiratory tract irritation.

Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Carcinogenicity:

Category 1B (Carcinogen), May cause cancer.

#### Acute toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Orthophosphoric acid	Acute	1,500 mg/kg	oral			Expert judgement
7664-38-2	toxicity estimate (ATE) Acute toxicity estimate (ATE)	5.1 mg/l	inhalation			Expert judgement
NH4H-difluoride 1341-49-7	LD50	130 mg/kg	ora1		rat	OECD Guideline 401 (Acute Oral Toxicity)

#### Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Orthophosphoric acid 7664-38-2	corrosive	24 h	rabbit	not specified
NH4H-difluoride 1341-49-7	corrosive			not specified
Hydrogen fluoride (HF) 7664-39-3	corrosive	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

V000.0

## **BONDERITE M-ZN 404 MU**

## Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Orthophosphoric acid	not sensitising	no data	human	not specified
7664-38-2			1	

## Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Orthophosphoric acid 7664-38-2	negative negative negative	bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test mammalian cell gene mutation assay	with and without with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
NH4H-difluoride 1341-49-7	negative	bacterial reverse mutation assay (e.g Ames test)	no data		not specified
Hydrogen fluoride (HF) 7664-39-3	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)

## Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
Orthophosphoric acid 7664-38-2	NOAEL=250 mg/kg	oral: gavage	6 wdaily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Hydrogen fluoride (HF) 7664-39-3	NOAEL=0,82 mg/m³	inhalation: gas	6 h5 days/week	rat	OECD Guideline 412 (Repeated Dose Inhalation Toxicity: 28/14-Day)

SECTION 12, ECOLOGICAL INFORMATION

## **BONDERITE M-ZN 404 MU**

General ecological information:

Do not empty into drains / surface water / ground water.

Ecotoxicity:

Toxic to aquatic life with long lasting effects.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Zinc nitrate 7779-88-6	LC50	7800 μg/l	Fish	96 h	Cyprinus carpio	OECD Guideline 203 (Fish, Acute
Zinc nitrate 7779-88-6	NOEC	0.024 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	Toxicity Test) OECD Guideline 201 (Alga, Growth
Zinc nitrate 7779-88-6	IC50	0.136 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	Inhibition Test) OECD Guideline 201 (Alga, Growth
Orthophosphoric acid 7664-38-2	LC50	> 100 mg/l	Fish	96 h	Oncorhynchus mykiss	Inhibition Test) OECD Guideline 203 (Fish, Acute
Orthophosphoric acid 7664-38-2	EC50	> 100 mg/l	Daphnia	48 h	Daphnia magna	Toxicity Test) OECD Guideline 202 (Daplınia sp. Acute
						Immobilisation Test)
Orthophosphoric acid 7664-38-2	EC50	> 100 mg/l	Algae	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth Inhibition Test)
Orthophosphoric acid 7664-38-2	NOEC	100 mg/l	Algae	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth
Orthophosphoric acid 7664-38-2	IC50	270 mg/l	Bacteria	3 h	activated sludge	Inhibition Test) OECD Guideline 209 (Activated
NH4H-difluoride 1341-49-7	LC50	365 mg/l	Fish	96 h	Brachydanio rerio (new name: Danio rerio)	Sludge, Respiration Inhibition Test) OECD Guideline 203 (Fish, Acute
NH4H-difluoride 1341-49-7	EC10	1,317 mg/l	Bacteria			Toxicity Test) ISO 8192 (Test for Inhibition of Oxygen
						Consumption by Activated Sludge)
Hydrogen fluoride (HF) 7664-39-3	LC50	107,5 mg/l	Fish	96 h		OECD Guideline 203 (Fish, Acute
Hydrogen fluoride (HF) 7664-39-3	EC50	270 mg/l	Daphnia	48 h	Daphnia sp.	Toxicity Test) OECD Guideline 202 (Daphnia sp.
						Acute Immobilisation Test)
Hydrogen fluoride (HF) 7664-39-3	EC10	650 mg/l	Algae	72 h	Scenedesmus subspicatus (new name: Desmodesmus	OECD Guideline 201 (Alga, Growth
Hydrogen fluoride (HF) 7664-39-3	EC50	> 1,000 mg/l	Algae	72 h	subspicatus) Scenedesmus subspicatus (new name: Desmodesmus	Inhibition Test) OECD Guideline 201 (Alga, Growth
Hydrogen fluoride (HF)	EC10	231 mg/l	Bacteria	16 h	subspicatus)	Inhibition Test) not specified
7664-39-3 Nickel dinitrate 13138-45-9	NOEC	104 μg/l	Fish		Oncorhynchus mykiss	OECD Guideline 204 (Fish,
Nickel dinitrate 13138-45-9	LC50	8.1 mg/l	Fish	96 h	Lepomis gibbosus	Prolonged Toxicity Test: 14-day Study OECD Guideline 203 (Fish, Acute
Nickel dinitrate 13138-45-9	EC50	0.915 mg/l	Daphnia	48 <b>h</b>	Daphnia magna	Toxicity Test) OECD Guideline 202 (Daphnia sp. Acute
						Immobilisation Test)
Nickel dinitrate 13138-45-9	EC50	0.284 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)	OECD Guideline

Page 8 of 9

V000.0

## SECTION 13.

## DISPOSAL CONSIDERATIONS

Waste disposal of product:

Dispose of in accordance with local and national regulations.

Recommended cleanser:

Water, if necessary with added cleaning agent.

Disposal for uncleaned package:

Collection and delivery to recycling enterprise or other registered elimination institution.

Can be added to material collection after completely emptying.

#### SECTION 14.

#### TRANSPORT INFORMATION

## Land Transport:

UN no.:

3264

Proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric

acid, Zinc nitrate)

Class or division: Packing group: Hazchem code: 8 II 2X

Emergency information:

Refer to the Dangerous Goods - Initial Emergency Response Guide

HB 76.

## Marine transport IMDG:

UN no.:

3264

Proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric

acid,Zinc nitrate)

Class or division:

8

Packing group: EmS: II F-A ,S-B

Seawater pollutant:

Marine pollutant

## Air transport IATA:

UN no.:

3264

Proper shipping name:

Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc nitrate)

Class or division:

II

Packing group:

851

Packing instructions (passenger) Packing instructions (cargo)

855

## SECTION 15.

## REGULATORY INFORMATION

**HSNO Approval Number:** 

HSR002660

Approved Handler:

When trigger quantities are reached or exceeded an approved handler certificate is required for this substance. Refer to the specific requirements under the HSNO approval

number for this substance.

Site and Storage:

Refer to the site and storage requirements for this Group Standard. Refer to the HSNO controls for approved hazardous substances.

V000.0

## **BONDERITE M-ZN 404 MU**

NZIoC:

Compliant for NZIOC

## SECTION 16. OTHER INFORMATION

Abbreviations/acronyms:

STEL - Short term exposure limit TWA - Time weighted average

HSNO - Hazardous Substances and New Organisms

GHS: Globally Harmonized System CAS: Chemical Abstracts Service LD 50: Lethal Dose 50% LC 50: Lethal Concentration 50%

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

Reason for issue:

Reviewed SDS. Reissued with new date, involved chapters: 1 - 16

Other information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties. The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Date of previous issue:

02.07.2013

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel New Zealand Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel New Zealand Limited concerning the properties of the material.

The information contained in this Material Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel New Zealand Limited assumes no legal responsibility for reliance upon same. Henkel New Zealand Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Material Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by Government statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.