

MSDS ATTACHMENT

PLEASE ATTACH THIS COMPLETED SHEET TO THE MSDS FOR :

PRODUCT :

KC 472

DATE :

(MSDS date)

15.10.2020

1. Manufacturer/Supplier :

PPS Industries Limited
86 Hugo Johnston Drive, Auckland
New Zealand
P.O.Box 12823, Penrose, Auckland 1642
Phone : 64 9 579-1001
Facsimile : 64 9 579-9497
Emergency Phone : 0800 657-894
Website: www.ppsindustries.co.nz

Emergency Information :

National Poison Centre 0800 764-766
Chemcall 24/7 Emergency Response Service : 0800 243-622

13. Disposal Considerations :

Product

Recommendation - Consult local or national regulations to ensure proper disposal.

Packaging

Disposal must be made according to official regulations.

16. Other Information :

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.10.2020

Version 2

Revision: 15.10.2020

* **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**

- Trade name: **KC 472**

- Article number: 95501070000

- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

- **Sector of Use** SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- **Product category**

PC14 Metal surface treatment products

PC15 Non-metal-surface treatment products

- **Process category**

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

- **Environmental release category**

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

- **Application of the substance / the mixture**

Process auxiliary for surface finishing

Industrial use

- **1.3 Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

Kromaş Makine Sanayi ve Tic. Ltd.Şti.

Rami Kışla Cad. Cicoz Yolu Hekimoğlu İş Merk.

No:67/4-5-6-7 Topçular

34030 Bayrampaşa, İstanbul/Turkey

Phone: +90 212 613 73 50

Fax: + 90 212 567 07 88

www.kromas.com

info@kromas.com

- **Further information obtainable from:** Department of Product Control / E-Mail: info@kromas.com

- **1.4 Emergency telephone number:**

Emergency number in case of toxication: University Hospital of Mainz +49 (0) 6131 - 19240

(information in German and English language)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**

- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.10.2020

Version 2

Revision: 15.10.2020

Trade name: KC 472

(Contd. of page 1)

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS05

- Signal word Danger

- Hazard-determining components of labelling:

dodecylbenzenesulphonic acid
amides, coco, N,N-bis(hydroxyethyl)

- Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- 2.3 PBT: Not applicable.

- 2.3 vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterization: Mixture

- Description:

Mixture of substances listed below with nonhazardous additions.

- Dangerous components:		
CAS: 9016-45-9 NLP: 500-024-6	Nonylphenol, ethoxylated ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	1-5%
CAS: 27176-87-0 EINECS: 248-289-4 Reg.nr.: 01-2120081398-46-xxxx	dodecylbenzenesulphonic acid ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	1-5%

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.10.2020

Version 2

Revision: 15.10.2020

Trade name: KC 472

		(Contd. of page 2)
CAS: 68603-42-9	amides, coco, N,N-bis(hydroxyethyl)	1-5%
EINECS: 271-657-0	☞ Eye Dam. 1, H318; ☞ Skin Irrit. 2, H315	

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Immediately rinse with water.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth with plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Nitrogen oxides (NOx)
Carbon monoxide and carbon dioxide
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.10.2020

Version 2

Revision: 15.10.2020

Trade name: KC 472

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store at: +5°C to +30°C
Durability: at least 2 years
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:**
No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- DNELs	
67-63-0 propan-2-ol	
Dermal	DNEL long term exposure - systemic effects 888 mg/kg bw/day (Workers)
Inhalative	DNEL long term exposure - systemic effects 500 mg/m ³ (Workers)
102-71-6 2,2',2''-nitrilotriethanol	
Dermal	DNEL long term exposure - systemic effects 6.3 mg/kg bw/day (Workers)
Inhalative	DNEL long-term exposure - local effects 5 mg/m ³ (Workers)
	DNEL long term exposure - systemic effects 5 mg/m ³ (Workers)
- PNECs	
67-63-0 propan-2-ol	
PNEC aqua	140.9 mg/l (freshwater) 140.9 mg/l (marine water)
PNEC STP	2,251 mg/l
PNEC sediment	552 mg/kg (freshwater) 552 mg/kg (marine water)
PNEC soil	28 mg/kg
102-71-6 2,2',2''-nitrilotriethanol	
PNEC aqua	0.32 mg/l (freshwater) 0.032 mg/l (marine water)
PNEC STP	10 mg/l

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.10.2020

Version 2

Revision: 15.10.2020

Trade name: KC 472

(Contd. of page 4)

PNEC sediment	1.7 mg/kg (freshwater)
	0.17 mg/kg (marine water)
PNEC soil	0.151 mg/kg

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

- **Respiratory protection:**

Not necessary in case of intended use.

Use suitable respiratory protective device if vapors occur or aerosol is formed.

Filter A/P2

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**

e.g.

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Fluid

Colour: Green

- **Odour:** Odourless

- **pH-value (at 20°C):** 9.15 (± 0.35)

- **pH-value (0,5%, at 20°C):** 9.0 (± 0.3)

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.10.2020

Version 2

Revision: 15.10.2020

Trade name: **KC 472**

(Contd. of page 5)

- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** 100 °C

- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Vapour pressure at 20 °C:** 23 hPa
- **Density (at 20°C):** 1,010 (± 0.010) g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with water:** Fully miscible.

- **Partition coefficient: n-octanol/water:** Not determined.

- **Viscosity:**
 - Kinematic:** Not determined.
 - Dynamic (at 22°C):** 120 - 146 mPa.s

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No dangerous reactions in case of intended use.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions in case of intended use.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None in case of intended use and storage.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.10.2020

Version 2

Revision: 15.10.2020

Trade name: KC 472

(Contd. of page 6)

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity

The values of calculation of the acute oral, dermal and inhalation toxicity of this mixture lie above the concentration limits for classification according to Regulation (EC) No 1272/2008.

- LD/LC50 values relevant for classification:		
9016-45-9 Nonylphenol, ethoxylated		
Oral	LD50	3,500 mg/kg (mouse) 4,300 mg/kg (rat)
27176-87-0 dodecylbenzenesulphonic acid		
Oral	LD50	1,150 mg/kg (rat)

- Primary irritant effect:

- Skin corrosion/irritation

This product has to be classified using the calculation set out according to Regulation (EC) No 1272/2008. Causes skin irritation.

- Serious eye damage/irritation

This product has to be classified using the calculation set out according to Regulation (EC) No 1272/2008. Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Regarding all rateable information this product is not cancerogenic, mutagenic or toxic for reproduction.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.

- Carcinogenicity Based on available data, the classification criteria are not met.

- Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT-single exposure Based on available data, the classification criteria are not met.

- STOT-repeated exposure Based on available data, the classification criteria are not met.

- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

This product has to be classified using the calculation set out according to Regulation (EC) No 1272/2008. Harmful to aquatic life with long lasting effects.

- Values for aquatic toxicity relevant for classification :	
9016-45-9 Nonylphenol, ethoxylated	
LC50 (96h)	1.3 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.

- 12.4 Mobility in soil No further relevant information available.

- Additional ecological information:

- COD-value (5 g/L water): 1735 mg/L

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.10.2020

Version 2

Revision: 15.10.2020

Trade name: **KC 472**

(Contd. of page 7)

- General notes:

Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Avoid transfer into the environment.
Harmful to aquatic organisms

- Results of PBT and vPvB assessment

The product contains no substance which is considered to be persistent, bioaccumulative or toxic (PBT) or as very persistent and very bioaccumulative (vPvB).

- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- European waste catalogue

16 03 05*	organic wastes containing hazardous substances
-----------	--

- Uncleaned packaging:

- Recommendation:

Not complete empty packaging should be disposed of as packaging with hazardous residues.
15 01 10*: packaging containing residues of or contaminated by dangerous substances.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

- Recommended cleansing agents: Water

SECTION 14: Transport information

- 14.1 UN-Number

- ADR, ADN, IMDG, IATA

Void

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA

Void

- 14.3 Transport hazard class(es)

- ADR, ADN, IMDG, IATA

- Class

Void

- 14.4 Packing group

- ADR, IMDG, IATA

Void

- 14.5 Environmental hazards:

Not applicable.

- 14.6 Special precautions for user

Not applicable.

- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

- UN "Model Regulation":

Void

(Contd. on page 9)

EE

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.10.2020

Version 2

Revision: 15.10.2020

Trade name: KC 472

(Contd. of page 8)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge and refers to the product in its conditions as delivered. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Existing laws and regulations have to be observed by the receiver on its own responsibility.

- **Relevant phrases**

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity - oral – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **Sources**

For the preparation of this MSDS information from our suppliers, information on chemicals from the European Chemicals Agency (ECHA) and data from the GESTIS database were used.

- * **Data compared to the previous version altered.**