# **MSDS ATTACHMENT**

### PLEASE ATTACH THIS COMPLETED SHEET TO THE MSDS FOR:

PRODUCT:

PFERD Polish Emulsion

DATE:

(MSOS date)

29.11.2022

1. Manufacturer/Supplier :

PPS Industries Limited

86 Hugo Johnston Drive, Auckland

New Zealand

P.O.Box 12823, Penrose, Auckland 1642

Phone: 64 9 579-1001 Facsimile: 64 9 579-9497

Emergency Phone: 0800 657-894 Website: www.ppsindustries.co.nz

Emergency Information:

National Polson Centre

0800 764-766

Chemcall 24/7 Emergency Response Service:

0800 243-622

13. Disposal Considerations:

Product

Recommendation - Consult local or national regulations to ensure proper disposal.

Packaging

Disposal must be made according to official regulations.

16. Other Information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

according to Safe Work Australia

## POLISH, EMULSION SFP

Product number 723

Version: 4.0

Revision date. Date of print. 29/11/2022 9/12/2022 Page: Language

1 of 6 en-AU

## 1. Product identifier and identity for the chemical

#### Product identifier

Trade name

POLISH. EMULSION SFP

This safety data sheet pertains to the following products:

44220090 POLISH.EMULSION SFP 90 44220150 POLISH.EMULSION SFP 150 44220280 POLISH.EMULSION SFP 280 44220360 POLISH.EMULSION SFP 360 44220600 POLISH.EMULSION SFP 600 44220800 POLISH.EMULSION SFP 800

#### Recommended use of the chemical and restrictions on use

General use

Grinding and sanding of different kinds of materials.

For industrial purposes only.

#### Suppliers name, address and phone number

Company name:

PFERD Australia Pty. Ltd.

Street/POB-No.:
Postal Code, city

Conifer Crescent 1-3 AU-3172 DINGLEY, VIC

WWW:

www.pferd.com sales@pferd.com.au

E-mail: Telephone:

(03) 95653200

Department responsible for information

Telephone: (03) 95653200

### Emergency phone number

Australia: 1-300-954-583 New Zealand: 0800-764-766

### 2. Hazard Identification

### Classification of the hazardous chemical

#### **GHS** classification

This mixture is classified as not hazardous

#### Label elements

Hazard statements:

not applicable

Precautionary statements

not applicable

#### Other hazards which do not result in classification

Mechanical processing produce particles and dust from the workpiece and abrasive

Particles/dusts: Can cause skin, eye and respiratory tract irritation.

## 3. Composition/information on ingredients

#### **Mixtures**

Identity of chemical ingredients

Mixture of Silicon carbide and Lubricating agent.

according to Safe Work Australia

### POLISH. EMULSION SFP

Product number 723

 Version
 4 0
 Revision date
 29/11/2022
 Page:
 2 of 6

 Date of print:
 9/12/2022
 Language
 en-AU

Hazardous ingredients

CAS No.	Designation	Concentration	Classification
CAS -	Lubricant	55 - 75 %	not classified
CAS 409-21-2	Silicon carbide	25 - 45 %	not classified
CAS 12001-85-3	Naphthenic acids, zinc salts	< 1 %	Eye irritation - Category 2A. Sensitisation - skin - Category 1B. Aquatic toxicity - chronic - Category 2.
CAS 14808-60-7	Quartz (SiO2)	< 0.3 %	Carcinogenicity - Category 1A.

Additional information.

The crystalline silica in the product is inextricably bound. Exposure is not expected in normal use

of this product.

The product contains mineral oil with less than 3% (w/w) DMSO extract according to IP346.

### 4. First Aid Measures

### Description of necessary first aid measures

In case of inhalation: Provide fresh air. Seek

Provide fresh air. Seek medical treatment in case of troubles.

Following skin contact Remove residues with soap and water. Take off contaminated clothing and wash it before reuse.

In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation

consult an ophthalmologist.

After swallowing Rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical

attention.

### Symptoms caused by exposure

May cause allergic reactions in already sensitized persons, respiratory complaints, headache, discomfort, dizziness

#### Medical Attention and Special Treatment

Treat symptomatically.

## 5. Fire Fighting Measures

#### Suitable extinguishing media

alcohol resistant foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons

Water

### Specific hazards arising from the chemical

In case of fire may be liberated: silicon dioxide, metallic oxides, carbon monoxide and carbon dioxide

### Special protective equipment and precautions for fire fighters

Special protective equipment for firefighters

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Hazchem-Code: -

Do not inhale explosion and combustion gases.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

printed by PFERD-Werkzeuge (Aus) with Qualisys SUMDAT

according to Safe Work Australia

### POLISH, EMULSION SFP

Product number 723

Version 40 29/11/2022 Page: Language: Revision date Date of print en-AU

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid generation of dust. Avoid breathing dust. Provide adequate ventilation. Wear appropriate protective equipment.

Avoid contact with the substance. Keep unprotected people away. Take off contaminated clothing and wash it before reuse.

### **Environmental precautions**

Do not allow to enter into ground-water, surface water or drains.

### Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Clean using cleansing agents. Do not use solvents.

## 7. Handling and Storage

### Precautions for safe handling

Advices on safe handling

Avoid generation of dust. Avoid breathing dust. In case of dust formation: Provide adequate

ventilation, and local exhaust as needed.

Avoid contact with skin and eyes. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. When using do not eat, drink or smoke. Wash hands before breaks and after work. Have eye wash bottle or eye rinse ready at work place.

#### Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Store in a dry place. Protect from heat and direct sunlight.

Hints on joint storage:

Do not store together with strong acids, strong bases or strong oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

### 8. Exposure controls/personal protection

#### Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
409-21-2	Silicon carbide	Australia: OEL-TWA	10 mg/m³ (inhalable fraction)
14808-60-7	Quartz (SiO2)	Australia: OEL-TWA	0.05 mg/m³ (respirable fraction)

#### Appropriate engineering controls

In the case of the formation of dust: Dust should be exhausted directly at the point of origin.

### Personal protective equipment (PPE)

#### Occupational exposure controls

Respiratory protection:

In case of dust formation or formation of aerosol:

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is

exceeded, self-contained breathing apparatus must be used

Protective gloves according to AS/NZS 2161. Hand protection

Glove material: Nitrile rubber. layer thickness: 0.12 mm

penetration time > 240 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Tightly sealed eye protectors according to AS/NZS 1337. Eye protection

Wear suitable protective clothing Body protection:

printed by PFERD-Werkzeuge (Aus) with Qualisys SUMDAT

according to Safe Work Australia

### POLISH. EMULSION SFP

Product number 723

Version: 4.0 Revision date: Date of print:

29/11/2022 9/12/2022

Language

General protection and hygiene measures

For mechanical processing:

Avoid contact with skin and eyes. Do not breathe dust.

When using do not eat, drink or smoke. Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

Have eye wash bottle or eye rinse ready at work place.

#### Environmental exposure controls

Do not allow to enter into ground-water, surface water or drains.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance

Physical state at 20 °C and 101.3 kPa: solid

Form: pasty

Colour: light brown

Odour

characteristic

Odour threshold

No data available

Not applicable

Melting point/freezing point:

> 190 °C (Lubricating agent)

Initial boiling point and boiling range:

> 250 °C (Lubricating agent) > 200 °C (Lubricating agent)

Flash point/flash point range Evaporation rate

No data available

Flammability

No data available No data available

Explosion limits Vapour pressure

No data available No data available

Vapour density

at 25 °C: 0.94 g/cm3

Water solubility

Density

Partition coefficient: n-octanol/water

No data available

Auto-ignition temperature

No data available

Decomposition temperature

No data available

#### Additional information

Viscosity

No data available

Volatile organic compounds content (VOC):

3 % by weight (Lubricating agent)

Additional information:

No data available

## 10. Stability and Reactivity

Reactivity

Refer to subsection "Possibility of hazardous reactions".

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Exothermic reactions with: strong acids, strong bases, strong oxidizing agents.

Conditions to avoid

Protect from heat and direct sunlight. Protect from moisture contamination.

Incompatible materials

Strong acids, strong bases, strong oxidizing agents.

Hazardous decomposition products

No decomposition when used properly

Thermal decomposition:

No data available

according to Safe Work Australia

### POLISH. EMULSION SFP

Product number 723

Version: 4.0 Revision date:
Date of print:



Page: 5 of Language: en-A

## 11. Toxicological information

#### Information on toxicological effects

Toxicological effects

The statements are derived from the properties of the single components. No toxicological data is

9/12/2022

available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Based on available data, the classification criteria are not met.

Contains Naphthenic acids, zinc salts. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

**Symptoms** 

Mechanical processing produce particles and dust from the workpiece and abrasive.

Inhalation of dust may cause irritation of the respiratory system.

After contact with skin: slightly irritant After eye contact: slightly irritant

### 12. Ecological information

### **Ecotoxicity**

Further details

No data available

#### Persistence and degradability

Further details:

No data available

### Bioaccumulative potential

Partition coefficient: n-octanol/water

No data available

#### Mobility in soil

No data available

### Other adverse effects

General information

Do not allow to enter into ground-water, surface water or drains.

### 13. Disposal considerations

#### Waste treatment methods

#### Product

Recommendation

Dispose of waste according to applicable legislation.

according to Safe Work Australia

## POLISH. EMULSION SFP

Version 40

Revision date 29/11/2022 9/12/2022 Date of print

Language

6 of 6

Package

Recommendation

Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.

## 14. Transport information

Land transport (ADG)

Product designation

Not restricted

Sea transport (IMDG)

Proper shipping name

Not restricted

Marine pollutant:

no

Air transport (IATA)

Proper shipping name

Not restricted

**Further information** 

No dangerous good in sense of these transport regulations.

Hazchem-Code:

## 15. Regulatory information

National regulations - Australia

AIIC: All ingredients are listed or exempt from listing.

Further regulations, limitations and legal requirements

No data available

### 16. Other information

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP. Classification, Labelling and Packaging DMEL: Derived minimal effect level

DNEL: Derived no-effect level

EC: European Community EN: European Standard

EQ: Excepted quantities IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

RID. Regulations Concerning the International Carriage of Dangerous Goods by Rail

TRGS: Technical Rules for Hazardous Substances

TSCA: Toxic Substance Control Act

vPvB: Very persistent and very bioaccumulative Changes in section 2: Labelling

Changes in section 3: Composition / Information on ingredients

Date of first version 24/8/2016

Reason of change

Department issuing data sheet

see section 1: Department responsible for information Contact person:

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products

with Qualisys SUMDAT printed by PFERD-Werkzeuge (Aus)