MSDS ATTACHMENT

PLEASE ATTACH THIS COMPLETED SHEET TO THE MSDS FOR:

PRODUCT:

QUAKER HOUGHTON HOCUT 400 K

DATE:

(MSDS date)

21.09.2019

1. Manufacturer/Supplier:

PPS Industries Limited

86 Hugo Johnston Drive, Auckland

New Zealand

P.O.Box 12823, Penrose, Auckland 1642

Phone: 64 9 579-1001 Facsimile: 64 9 579-9497

Emergency Phone: 0800 657-894 Website: www.ppsindustries.co.nz

Emergency Information:

National Poison Centre

0800 764-766

Chemcall 24/7 Emergency Response Service:

0800 243-622

13. Disposal Considerations:

Product

Recommendation - Consult local or national regulations to ensure proper disposal.

Packaging

Disposal must be made according to official regulations.

16. Other Information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other

product or process, is the responsibility of the user.



SAFETY DATA SHEET

Revision Date 09-21-2019

Version 3

SECTION 1: IDENTIFICATION

Product identifier

Product Code(s) Product Name 42000401-M HOCUT 400 K

Other means of identification

UN Number

UN3082

Recommended use of the chemical and restrictions on use

Recommended Use Uses advised against Metalworking fluid Any other purpose.

Suppliers name, address and phone number

Manufacturer, Importer, Supplier

Houghton Australia Pty. Ltd. 287 Wickham Road Moorabbin, Victoria Australia, 3189 +61 1300 736 642

Emergency telephone number

For further information, please contact: ProductStewardship@houghtonintl.com

Emergency Telephone

3E Company (+)1 760 476 3960 (Code 333938)

Australia: (+)61 1 800 686 951 Australia (+)61 280 363 166 New Zealand: (+)64 800 451719

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)

Label elements



Signal word DANGER

Hazard statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

May be harmful if swallowed
Toxic to aquatic life with long lasting effects

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture. Health hazard information is based on its ingredients

Chemical name	CAS No	Weight-%
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	-	2.5% - 10%
1-Aminopropan-2-ol	78-96-6	2.5% - 10%
Neutralised Dicyclohexylamine	101-83-7*	2.5% - 10%
Sulfonic acids, petroleum, sodium salts	68608-26-4	2.5% - 10%
Amines, coco alkyl, ethoxylated	61791-14-8	2.5% - 10%
Highly refined base oil (Viscosity >20.5 cSt @40°C)	-	1% - 2.5%
Neutralised 1-Aminopropan-2-ol	78-96-6*	1% - 2.5%
1,2-Benzisothiazol-3(2H)-one	2634-33-5	0% - 1%

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346. See Section 15 for additional information on base oils.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice

Do not get in eyes, on skin, or on clothing. May produce an allergic reaction. Immediate

medical attention is required.

Inhalation

Remove to fresh air.

Skin contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing before re-use. If symptoms persist, call a physician.

Eye contact

Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not

rub affected area, Seek immediate medical attention/advice.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting

without medical advice.

Protection of First-aiders

Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Most important symptoms and effects, both acute and delayed

Symptoms

Redness. Rash. Itching. May cause allergic skin reaction. Eye damage/irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically. May cause sensitization of susceptible persons.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons

None

Specific hazards arising from the chemical

Hazardous decomposition products

None under normal use

Special protective equipment and precautions for fire fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Hazchem emergency action code •3Z.

- SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Recommended Shelf Life

Shelf life 12 months

Incompatible materials

None known based on information supplied.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

		New Zealand - Biological Exposure Indices (BEI)
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	TWA: 5 mg/m³ STEL: 10 mg/m³	
Highly refined base oil (Viscosity >20.5 cSt @40°C)	TWA: 5 mg/m³ STEL: 10 mg/m³	:

Hydrocarbon solvent vapor mixtures which do not have substance specific occupational exposure limits may be evaluated by the Reciprocal Calculation Procedure (RCP) which assigns a recommended occupational exposure limit based on the mass composition and hydrocarbon group guidance values (GGVs). Applicable recommended occupational exposure limits are shown in the table below.

Chemical name	RCPOEL AND RCPOEL	Manufacturer
Distillates (petroleum), hydrotreated middle	RCP: TWA 1200 mg/m³ 143ppm	
64742-46-7		!

Appropriate engineering controls

Engineering controls

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly fitting safety goggles. If splashes are likely to occur, wear.. Face-shield.

Skin and body protection

Wear protective gloves/clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls

No information available.

Hygiene measures

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove

and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

Thermal hazards

None under normal use conditions.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Odor

liquid amine-like Appearance Odor threshold hazy amber Not Determined

<u>Property</u>

pΗ Melting point / freezing point

Boiling point / boiling range Flash point Evaporation rate

Flammability (solid, gas)

Values

9.5 Not Determined Not Determined Not Determined

Not Determined Not Determined

Flammability Limit in Air

Upper flammability limit: Lower flammability limit: Not Determined Not Determined

Vapor pressure Vapor density Relative density Solubility(ies)

Partition coefficient Autoignition temperature Decomposition temperature

Kinematic viscosity **Explosive properties** Oxidizing Properties Not Determined Not Determined

0.99 emulsifiable Not Determined

Not Determined Not Determined > 30 cSt @ 40 °C

Not applicable Not applicable ASTM D 445

g/cm3 @15.5°C

Remarks

@5%

Other Information

Viscosity, kinematic (100°C)

Pour Point

VOC Content (ASTM E-1868-10) VOC content

Not Determined Not Determined 189 g/L Not Determined

ASTM E1868-10

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None under normal use conditions.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information - Principle Routes of Exposure

Inhalation

Based on available data, the classification criteria are not met.

Eye contact

May result in permanent damage including blindness.

Skin contact

Irritating to skin. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons.

Ingestion

Based on available data, the classification criteria are not met

Symptoms

Moderate skin irritation. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Corrosive - causes irreversible eye

damage.

Numerical measures of toxicity - Product Information

ATEmix (oral)

4,353.00 mg/kg

ATEmix (dermal)

13,737.00 mg/kg 50.10 mg/l

ATEmix (inhalation-dust/mist)

Acute toxicity - Product Information

Product does not present an acute toxicity hazard based on known information

Acute toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation L€50
Highly refined, low viscosity mineral	>2000 mg/kg	>2000 mg/kg	
oils/hydrocarbons (Viscosity >7 -			
<20.5 cSt @40°C)			
1-Aminopropan-2-ol	2098 mg/kg (Rat)	1851 mg/kg(Rabbit)	:
Sulfonic acids, petroleum, sodium salts	>5000 mg/kg (Rat)	>500 mg/kg (Rabbit)	
Amines, coco alkyl, ethoxylated	= 500 mg/kg (Rat)		
Highly refined base oil (Viscosity >20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	
Neutralised 1-Aminopropan-2-oi	2098 mg/kg(Rat)	1851 mg/kg(Rabbit)	
1,2-Benzisothiazol-3(2H)-one	1020 mg/kg (Rat)	4115 mg/kg (Rat)	:

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Irritating to skin.

Serious eye damage/eye irritation

Causes severe eye damage.

Respiratory or skin sensitization

May cause sensitization by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ systemic toxicity (single exposure)

Based on available data, the classification criteria are not met.

Specific target organ systemic toxicity (repeated exposure)

Based on available data, the classification criteria are not met.

toxicity (repeated exposure

Based on available data, the classification criteria are not met.

Exposure levels

Aspiration hazard

See section 8 for more information

Interactive effects

None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
1-Aminopropan-2-ol	32.7: 72 h Scenedesmus	2520: 96 h Pimephales promelas	108.82; 48 h Daphnia magna mg/L
	subspicatus mg/L EC50	mg/L LC50	EC50
		210: 96 h Carassius auratus mg/L	
		LC50	'
		215 - 464: 96 h Leuciscus idus mg/L LC50	
		1.050	:
Neutralised Dicyclohexylamine	·	62: 96 h Brachydanio rerio mg/L	
		LC50 static	:
Sulfonic acids, petroleum, sodium		>1000: 96 h Pimephales promelas	>1000: 48 h Daphnia magna mg/L
salts		mg/L LC50	. EC50
Amines, coco alkyl, ethoxylated		4.3: 96 h Brachydanio rerio mg/L.	12.1: 48 h Daphnia magna mg/L
		LC50	EC50
		19.6; 96 h Lepomis macrochirus	
		mg/L LC50	:
Neutralised 1-Aminopropan-2-ol	32.7: 72 h Scenedesmus	2520: 96 h Pimephales promelas	108.82: 48 h Daphnia magna mg/L
	subspicatus mg/L EC50	mg/L LC50	EC50
		210: 96 h Carassius auratus mg/L	
		LC50	
		215 - 464: 96 h Leuciscus idus mg/L	:
		LC50	
1,2-Benzisothiazol-3(2H)-one	0.11: 72 h Selenastrum	2.18: 96 h Oncorhynchus mykiss	2.94: 48 h Daphnia magna mg/L
1,2 20	capricornutum mg/L EC50	mg/L LC50	EC50
	0.15: 72 h Desmodesmus	5.9: 96 h Lepomis macrochirus	
	subspicatus mg/L EC50	mg/L LC50	: :

Persistence and degradability

No information available

Bioaccumulative potential

Chemical name	Partition coefficient
1-Aminopropan-2-ol	-0.94
Neutralised Dicyclohexylamine	3.5
Sulfonic acids, petroleum, sodium salts	18.05
Neutralised 1-Aminopropan-2-ol	-0 .94
1,2-Benzisothiazol-3(2H)-one	0.4

Mobility

Will likely be mobile in the environment due to its water solubility Miscible with water

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Safe handling and disposal methods

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Disposal of any contaminated packaging

Do not reuse empty containers.

Environmental regulations

No information available

SECTION 14: TRANSPORT INFORMATION

ADG

UN Number

UN3082

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (NEUTRALISED

DICYCLOHEXYLAMINE, AMINES, COCO ALKYL, ETHOXYLATED)

Hazard Class Packing Group

Q 1[] Yes

Environmental hazard

Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

No information available

Special precautions for users Hazchem emergency action code

Description

•3Z

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(NEUTRALISED DICYCLOHEXYLAMINE, AMINES, COCO ALKYL, ETHOXYLATED), 9, III

According to special provision AU01 - Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in; (a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or (b) IBCs.

IMDG

UN/ID no

UN3082

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (NEUTRALISED

DICYCLOHEXYLAMINE, AMINES, COCO ALKYL, ETHOXYLATED)

Hazard Class Packing Group Ш EmS-No F-A, S-F

Vessel Stowage Location Code Marine pollutant

This product contains a chemical which, although not listed, meets the IMDG criteria for

being a marine pollutant

Description

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(NEUTRALISED DICYCLOHEXYLAMINE, AMINES, COCO ALKYL, ETHOXYLATED), 9,

III, Marine pollutant

<u>IATA</u>

UN/ID no

UN3082

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (NEUTRALISED

DICYCLOHEXYLAMINE, AMINES, COCO ALKYL, ETHOXYLATED)

Hazard Class Packing Group ERG Code

Description

9 III 9L

UN3082. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(NEUTRALISED DICYCLOHEXYLAMINE, AMINES, COCO ALKYL, ETHOXYLATED), 9, III

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

New Zealand

HSNO Hazard Classification:

6.1E - Substances that are acutely toxic

6.3A - Substances that are irritating to the skin

6.5B - Substances that are contact sensitisers

8.3A - Substances that are corrosive to ocular tissue

9.1B - Substances that are ecotoxic in the aquatic environment

HSNO Approval Number:

HSNO Approval Number: HSR002606

HSNO Group Standard: Lubricants (Subsidiary hazard) GROUP STANDARD 2017.

International Inventories

Inventory information may be utilizing alternative CAS#s or exemptions beyond those stated within this document For further information, please contact: ProductStewardship@houghtonintl.com

TSCA Complies
DSL Complies
AICS Complies
PICCS Does not

PICCS Does not Comply
KECL Does not Comply
IECSC Complies

ENCS Does not Comply
TCSI Does not Comply
NZIOC Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
ENCS - Japan Existing and New Chemical Substances
TCSI - Taiwan National Existing Chemical Inventory

NZIoC - New Zealand Inventory of Chemicals

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Chemicals Subject to Prior Informed Consent (PIC) Not applicable

Other Information

The highly refined base oil (Viscosity >20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

	i
	CAS No
Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed,	101316-72-7
hydrogenated	
Lubricating oils (petroleum), used, noncatalytically refined	101316-73-8
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
Residual cils (petroleum), solvent deasphalted	64741-95-3
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4
Distiliates (petroleum), solvent-refined light naphthenic	64741-97-5
Residual oils (petroleum), solvent-refined	64742-01-4
Extracts (petroleum), residual oil solvent	64742-10-5
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
Distillates(petroleum),hydrotreatedheavyparaffinic	64742-54-7
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9
Residual oils (petroleum), hydrotreated	64742-57-0
Lubricating oils (petroleum), hydrotreated spent	64742-58-1
Residual oils (petroleum), solvent-dewaxed	64742-62-7
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0
Paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7
Paraffin oils (petroleum), catalytic dewaxed light	64742-71-8
Lubricating oils (petroleum), C>25, hydrotreated bright stock-based	72623-83-7
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based,	72623-85-9
high-viscosity	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1
Lubricating oils	74869-22-0
Paraffin oils	8012-95-1
White mineral oil (petroleum)	8042-47-5
C18-C50 branched, cyclic and linear hydrocarbons - Distillates	848301-69-9

The highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical name	CAS NO
Distillates (petroleum), straight-run middle	64741-44-2
Distillates (petroleum), heavy hydrocracked	64741-76-0
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
Residual oils (petroleum), solvent deasphalted	64741-95-3
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4
Residual oils (petroleum), solvent-refined	64742-01-4
Distillates (petroleum), hydrotreated middle	64742-46-7

Distillates (petroleum), hydrotreated middle	64742-46-7
Distillates (petroleum), hydrotreated light	64742-47-8
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
Distillates(petroleum),hydrotreatedheavyparaffinic	64742-54-7
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9
Residual oils (petroleum), hydrotreated	64742-57-0
Lubricating oils (petroleum), hydrotreated spent	64742-58-1
Residual oils (petroleum), solvent-dewaxed	64742-62-7
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0
Paraffin oils (petroleum), catalytic dewaxed light	64742-71-8
Dec-1-ene, homopolymer, hydrogenated	68037-01-4
Lubricating oils (petroleum), C>25, hydrotreated bright stock-based	72623-83-7
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity	72623-85-9
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1
Lubricating oils	74869-22-0
White mineral oil (petroleum)	8042-47-5
C18-C50 branched, cyclic and linear hydrocarbons – Distillates	848301-69-9
Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE

SECTION 16: OTHER INFORMATION

Revision Date Revision Note 09-21-2019

This SDS has been revised in the following section(s), Company Logo.

Key or legend to abbreviations and acronyms used in the safety data sheet

TWA

Time weighted average

STEL

Short term exposure limit

Ceiling

Maximum limit value:

(s) - Skin

Skin designation Carcinogen

Sensitizers

STOT SE - Specific target organ systemic toxicity (Single exposure)

STOT RE - Specific target organ systemic toxicity (repeated exposure)

VOC - Volatile organic compounds

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet