MSDS ATTACHMENT

PLEASE ATTACH THIS COMPLETED SHEET TO THE MSDS FOR:

PRODUCT:

QUAKER HOUGHTON HOUGHTO - GRIND 03A

DATE:

(MSDS date)

21.09.2019

1. Manufacturer/Supplier:

PPS Industries Limited

86 Hugo Johnston Drive, Auckland

New Zealand

P.O.Box 12823, Penrose, Auckland 1642

Phone: 64 9 579-1001 Facsimile: 64 9 579-9497

Emergency Phone: 0800 657-894 Website: www.ppsindustries.co.nz

Emergency Information:

National Poison Centre

0800 764-766

Chemcall 24/7 Emergency Response Service :

0800 243-622

13. Disposal Considerations:

Product

Recommendation - Consult local or national regulations to ensure proper disposal.

Packaging

Disposal must be made according to official regulations.

16. Other Information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.



SAFETY DATA SHEET

Revision Date 09-21-2019

Version 3

SECTION 1: IDENTIFICATION

Product identifier

Product Code(s) **Product Name**

42001003-M

HOUGHTO-GRIND 03A

Other means of identification

UN Number

Not available

Recommended use of the chemical and restrictions on use

Recommended Use Uses advised against Metalworking fluid

Any other purpose.

Suppliers name, address and phone number

Manufacturer, Importer, Supplier

Houghton Australia Pty. Ltd. 287 Wickham Road Moorabbin, Victoria Australia, 3189 +61 1300 736 642

Emergency telephone number

For further information, please contact: ProductStewardship@houghtonintl.com

Emergency Telephone

3E Company (+)1 760 476 3960 (Code 333938)

Australia: (+)61 1 800 686 951 Australia (+)61 280 363 166 New Zealand: (+)64 800 451719

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification

Aspiration toxicity

Category 1 - (H304)

Label elements

Health hazards



Signal word

DANGER

Hazard statements

H304 - May be fatal if swallowed and enters airways

AUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - Response

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture. Health hazard information is based on its ingredients

Chemical name	CAS No	Weight-%
Highly refined, low viscosity mineral oils/hydrocarbons	-	50% - 100%
(Viscosity >7 - <20.5 cSt @40°C)	1	
Highly refined, low viscosity base oil (Viscosity <7 cSt	-	10% - 25%
@40°C)		

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346. See Section 15 for additional information on base oils.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice Immediate medical attention is required. Do not get in eyes, on skin, or on clothing.

Inhalation Move to fresh air. Potential for aspiration if swallowed. Get medical attention immediately if

symptoms occur.

Skin contact Wash off immediately with plenty of water.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing.

Ingestion Do not induce vomiting without medical advice. Clean mouth with water and afterwards

drink plenty of water. Aspiration hazard if swallowed - can enter lungs and cause damage. If

symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms May be fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Use CO2, dry chemical, or foam. Water spray or fog. Cool containers / tanks with water spray.

Extinguishing media which shall not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire

Specific hazards arising from the chemical

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)

Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

Special protective equipment and precautions for fire fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eves and clothing.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes and

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

Recommended Shelf Life

No information available

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	Australia	New Zealand	New Zealand - Biological Exposure Indices (BEI)
Highly refined, low viscosity mineral		TWA: 5 mg/m ³	
oils/hydrocarbons (Viscosity >7 - <20.5 cSt		STEL: 10 mg/m³	
@40°C)			
Highly refined, low viscosity base oil		TWA: 5 mg/m ³	
(Viscosity <7 cSt @40°C)	i	STEL: 10 mg/m ³	

Hydrocarbon solvent vapor mixtures which do not have substance specific occupational exposure limits may be evaluated by the Reciprocal Calculation Procedure (RCP) which assigns a recommended occupational exposure limit based on the mass composition and hydrocarbon group guidance values (GGVs). Applicable recommended occupational exposure limits are shown in the table below.

Chemical name	RCP OEL	Manufacturer
Distillates (petroleum), hydrotreated middle	RCP: TWA 1200 mg/m3 143ppm	
64742-46-7		
Chemical name	RCPOEL	Manufacturer #
Distillator (notroloum) bydrotrogical middle	PCD: TMA 1200 mg/m3 1/2nnm	

Chemical name	RCPOEL	Manufacturor
Distillates (petroleum), hydrotreated middle	RCP: TWA 1200 mg/m³ 143ppm	- The state of the
64742-46-7		
Distillates (petroleum), hydrotreated light 64742-47-8	RCP: TWA 1200 mg/m ³ 182ppm	
Naphtha (petroleum), hydrotreated heavy 64742–48-9	RCP: TWA 1000 mg/m ³	
C12-C14 isoalkanes 68551-19-9	RCP: TWA 1200 mg/m ³	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	RCP C9-C15 aliphatics: 600mg/m³	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	TWA: 600 mg/m³	
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0.03% aromatics NOT AVAILABLE	RCP C9-C15 aliphatics: 600mg/m³	
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	TWA: 150ppm TWA: 1200 mg/m³	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics NOT AVAILABLE	TWA: 171 ppm TWA: 1200 mg/m³	
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics NOT AVAILABLE	RCP C9-C15 aliphatics: 600mg/m³	
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	TWA: 165 ppm TWA: 1200 mg/m³	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	RCP: TWA 1200 mg/m³ 182ppm	
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics NOT AVAILABLE	RCP: TWA 600 mg/m³	
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	RCP: TWA 600 mg/m³	
Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics NOT AVAILABLE	RCP: TWA 600 mg/m³	CEFIC-HSPA: 1200 mg/m³

Appropriate engineering controls

Engineering controls

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields.

Skin and body protection

Wear protective gloves/clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls

No information available.

Hygiene measures

Do not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice.

Thermal hazards

None under normal use conditions.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

liquid

Appearance

light vellow

Odor

Not Determined

Odor threshold

Not Determined

Property_

Values

Remarks

kg/m3 @15°C

Flash point

Not Determined

Melting point / freezing point

Not Determined

Boiling point / boiling range

Not Determined

> 150 °C / > 302 °F

Not Determined Not Determined

Cleveland Open Cup

Evaporation rate

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit:

Not Determined

Lower flammability limit: Vapor pressure

Not Determined

Vapor density

Not Determined Not Determined

Relative density Solubility(ies)

0.85 Soluble in water

Partition coefficient Autoignition temperature

Not Determined Not Determined

Decomposition temperature Kinematic viscosity **Explosive properties Oxidizing Properties**

Not Determined Not Determined Not applicable Not applicable

Other Information

Viscosity, kinematic (100°C)

Not Determined

Pour Point

Not Determined

VOC Content (ASTM E-1868-10) VOC content

Not Determined Not Determined

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None under normal use conditions.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information - Principle Routes of Exposure

Inhalation Risk of serious damage to the lungs (by aspiration).

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Risk of product entering the lungs on vomiting after ingestion.

Symptoms May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Acute toxicity - Product Information

May be harmful if swallowed and enters airways

Acute toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	·

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ systemic toxicity (single exposure)

Based on available data, the classification criteria are not met.

Specific target organ systemic toxicity (repeated exposure)

Based on available data, the classification criteria are not met.

Aspiration hazard Risk of serious damage to the lungs (by aspiration).

Exposure levels See section 8 for more information

Interactive effects None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Not considered to be harmful to aquatic life.

Persistence and degradability

The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

Bioaccumulative potential

No information available

Mobility

Will likely be mobile in the environment due to its water solubility Miscible with water

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Safe handling and disposal methods

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Disposal of any contaminated packaging

Do not reuse empty containers.

Environmental regulations

No information available

SECTION 14: TRANSPORT INFORMATION

42001003-M - HOUGHTO-GRIND 03A

<u>ADG</u>

Not Regulated

IMDG

Not Regulated

IATA

Not Regulated

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

New Zealand

HSNO Hazard Classification:

6.1E - Substances that are acutely toxic

HSNO Approval Number:

HSNO Approval Number: HSR002612

HSNO Group Standard: Metal Industry Products (Subsidiary hazard) GROUP STANDARD 2017.

International Inventories

Inventory information may be utilizing alternative CAS#s or exemptions beyond those stated within this document For further information, please contact: ProductStewardship@houghtonintl.com

TSCA	Complies
DSL	Complies
AICS	Complies
PICCS	Complies
KECL	Complies
IECSC	Complies
ENCS	Complies
TCSI	Complies
NZIoC	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances IECSC - China Inventory of Existing Chemical Substances

ENCS - Japan Existing and New Chemical Substances TCSI - Taiwan National Existing Chemical Inventory

NZIoC - New Zealand Inventory of Chemicals

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Chemicals Subject to Prior Informed Consent (PIC) Not applicable

Other Information

The highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt $@40^{\circ}$ C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical name	CAS No.
Distillates (petroleum), straight-run middle	64741-44-2
Distillates (petroleum), heavy hydrocracked	64741-76-0
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
Residual oils (petroleum), solvent deasphalted	64741-95-3
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4
Residual oils (petroleum), solvent-refined	64742-01-4
Distillates (petroleum), hydrotreated middle	64742-46-7
Distillates (petroleum), hydrotreated middle	64742-46-7
Distillates (petroleum), hydrotreated light	64742-47-8
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
Distillates(petroleum),hydrotreatedheavyparaffinic	64742-54-7
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9
Residual oils (petroleum), hydrotreated	64742-57-0
Lubricating oils (petroleum), hydrotreated spent	64742-58-1
Residual oils (petroleum), solvent-dewaxed	64742-62-7
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0
Paraffin oils (petroleum), catalytic dewaxed light	64742-71-8
Dec-1-ene, homopolymer, hydrogenated	68037-01-4
Lubricating oils (petroleum), C>25, hydrotreated bright stock-based	72623-83-7
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based,	72623-85-9
high-viscosity	·
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1
Lubricating oils	74869-22-0
White mineral oil (petroleum)	8042-47-5
C18-C50 branched, cyclic and linear hydrocarbons – Distillates	848301-69-9
Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE

The highly refined, low viscosity base oil (Viscosity <7 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical name Distillates (petroleum), hydrotreated middle	64742-46-7
Hydrocarbons, C13-C23, n-alkanes, isoaikanes, cyclics, < 0.03% aromatics	64742-46-7
Distillates (petroleum), hydrotreated light	64742-47-8
Naphtha (petroleum), hydrotreated heavy	64742-48-9
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9
C12-C14 isoalkanes	68551-19-9
White mineral oil (petroleum)	8042-47-5
C18-C50 branched, cyclic and linear hydrocarbons - Distillates	848301-69-9
Alkanes,C14-16	90622-46-1
Alkanes, C12-26-branched and linear	90622-53-0

Alkanes, C11-15-iso-	90622-58-5
Alkanes, C16-20-iso-	90622-59-6
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0.03%	NOT AVAILABLE
aromatics Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C11-C14, n-alkanes, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C14-C18, n-alkanes, cyclics, aromatics (2-30%)	NOT AVAILABLE
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C13-C16, isoalkanes, cyclics, < 2% aromatics	NOT AVAILABLE
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03%	NOT AVAILABLE
aromatics	
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics	NOT AVAILABLE

SECTION 16: OTHER INFORMATION

Revision Date Revision Note 09-21-2019

This SDS has been revised in the following section(s), Company Logo.

Key or legend to abbreviations and acronyms used in the safety data sheet

TWA

Time weighted average

STEL

Short term exposure limit

Ceiling

Maximum limit value:

(s) - Skin

Skin designation

Jennig

Sensitizers

(3) - 0

Carcinogen

STOT SE - Specific target organ systemic toxicity (Single exposure) STOT RE - Specific target organ systemic toxicity (repeated exposure)

VOC - Volatile organic compounds

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet