# **MSDS ATTACHMENT**

## PLEASE ATTACH THIS COMPLETED SHEET TO THE MSDS FOR:

**PRODUCT:** 

**QUAKER HOUGHTON STA-PUT 68** 

DATE:

(MSDS date)

21.09.2019

1. Manufacturer/Supplier:

PPS Industries Limited

86 Hugo Johnston Drive, Auckland

New Zealand

P.O.Box 12823, Penrose, Auckland 1642

Phone: 64 9 579-1001 Facsimile: 64 9 579-9497

Emergency Phone : 0800 657-894 Website: www.ppsindustries.co.nz

**Emergency Information:** 

National Poison Centre

0800 764-766

Chemcall 24/7 Emergency Response Service:

0800 243-622

13. Disposal Considerations :

**Product** 

Recommendation - Consult local or national regulations to ensure proper disposal.

**Packaging** 

Disposal must be made according to official regulations.

16. Other Information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other

product or process, is the responsibility of the user.



# SAFETY DATA SHEET

Revision Date 09-21-2019

Version 3

## **SECTION 1: IDENTIFICATION**

Product identifier

Product Code(s) Product Name 12010068-M STA-PUT 68

Other means of identification

**UN Number** 

Not available

Recommended use of the chemical and restrictions on use

Recommended Use

Lubricant

Uses advised against

Any other purpose.

Suppliers name, address and phone number

Manufacturer, Importer, Supplier

Houghton Australia Pty. Ltd. 287 Wickham Road Moorabbin, Victoria Australia, 3189 +61 1300 736 642

Emergency telephone number

For further information, please contact: ProductStewardship@houghtonintl.com

**Emergency Telephone** 

3E Company (+)1 760 476 3960 ( Code 333938 )

Australia: (+)61 1 800 686 951 Australia (+)61 280 363 166 New Zealand: (+)64 800 451719

#### **SECTION 2: HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

**Hazard statements** 

None

Other hazards

No information available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture. Health hazard information is based on its ingredients

Chemical name	⊕CAS No	Weight-%
Highly refined base oil (Viscosity >20.5 cSt @40°C)	-	50% - 100%
Phenol, isopropylated, phosphate (3:1)	68937-41-7	0% - 1%

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346. See Section 15 for additional information on base oils.

### SECTION 4: FIRST AID MEASURES

Description of first aid measures

Inhalation

Remove to fresh air.

Skin contact

Wash off immediately with plenty of water.

Eye contact

Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

insina

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting

without medical advice.

Protection of First-aiders

Use personal protective equipment.

Most important symptoms and effects, both acute and delayed

Symptoms

No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

### SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Use CO2, dry chemical, or foam. Water spray or fog. Cool containers / tanks with water spray.

Extinguishing media which shall not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire

Specific hazards arising from the chemical

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke) This material creates a fire hazard because it floats on water

Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

Special protective equipment and precautions for fire fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation.

For emergency responders

Use personal protection recommended in Section 8.

**Environmental precautions** 

See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

## SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes and clothing.

#### Conditions for safe storage, including any incompatibilities

Store in original container or corrosive resistant and/or lined container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

#### Recommended Shelf Life

Shelf life 12 months

#### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Aluminium.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL\*PROTECTION

#### Control parameters

			<u> </u>
Chemical name	Australia	New Zealand	Mew Zealand - Biological Exposure
to the first series of the first series and the		Label of B. B. Label Co. L.	
	A CONTRACTOR AND LANGE OF THE SECOND		Indices (BEI)
Highly refined base oil (Viscosity >20.5 cSt		TWA: 5 mg/m³	!
			į į
@40°C)		STEL: 10 mg/m³	

#### Appropriate engineering controls

Engineering controls

Showers

Eyewash stations Ventilation systems

## Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields.

Skin and body protection

Wear protective gloves/clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls

No information available.

Hygiene measures

Do not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice.

Thermal hazards

None under normal use conditions.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state

liquid

Арреагалсе

clear amber

Odor

Not Determined

Odor threshold

Not Determined

Property

<u>Values</u>

Remarks

рĤ

Melting point / freezing point Boiling point / boiling range

Not Determined Not Determined Not Determined

Not Determined

Flash point Evaporation rate > 150 °C / > 302 °F Not Determined

Cleveland Open Cup

Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit: Lower flammability limit: Not Determined Not Determined

Vapor pressure

Not Determined

Vapor density Relative density

Not Determined 0.875

Solubility(ies) Partition coefficient Insoluble in water

Autoignition temperature Decomposition temperature

Not Determined Not Determined Not Determined g/cm3 @15°C

Kinematic viscosity Explosive properties

**Oxidizing Properties** 

~ 68 cSt @ 40 °C Not applicable

Not applicable

ASTM D 445

Other Information

Viscosity, kinematic (100°C)

**Pour Point** VOC Content (ASTM E-1868-10) Not Determined Not Determined Not Determined

VOC content

Not Determined

#### SECTION 10: STABILITY AND REACTIVITY

#### Reactivity

None under normal use conditions.

#### Chemical stability

Stable under normal conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

#### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Aluminium.

#### Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Acute toxicity

#### Information on likely routes of exposure

#### Product Information - Principle Routes of Exposure

Inhalation

Based on available data, the classification criteria are not met.

Eve contact

Based on available data, the classification criteria are not met.

Skin contact

Based on available data, the classification criteria are not met.

Ingestion

Based on available data, the classification criteria are not met

**Symptoms** 

No information available.

#### Numerical measures of toxicity - Product Information

#### Acute toxicity - Product Information

Product does not present an acute toxicity hazard based on known information

#### Acute toxicity - Component Information

		<u></u>	
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Highly refined base oil (Viscosity	>2000 mg/kg	>2000 mg/kg	
>20.5 cSt @40°C)			i i
Phenol, isopropylated, phosphate	> 30000 mg/kg ( Rat )	>10000 mg/kg(Rabbit)	> 200 mg/L(Rat)1 h
/3.1\			

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ systemic toxicity (single exposure)

Based on available data, the classification criteria are not met.

Specific target organ systemic toxicity (repeated exposure)

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Exposure levels

See section 8 for more information

Interactive effects

None known

## SECTION 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

No special environmental measures are necessary.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Phenoi, isopropylated, phosphate	1000: 72 h Pseudokirchneriella	1.15: 96 h Oncorhynchus mykiss	14: 48 h Daphnia magna mg/L
(3:1)	mg/L LC50	mg/L LC50 semi-static 1000: 96 h	EC50
	-	Brachydanio rerio mg/L LC50 static	
		10.8: 96 h Pimephales promeias	
		mg/L LC50 static	

#### Persistence and degradability

The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

#### Bioaccumulative potential

No information available

#### **Mobility**

The product is insoluble and floats on water

#### Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

#### Safe handling and disposal methods

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

### Disposal of any contaminated packaging

Do not reuse empty containers.

#### **Environmental regulations**

No information available

## SECTION 14: TRANSPORT INFORMATION

<u>ADG</u>

Not Regulated

IMDG

Not Regulated

IATA

Not Regulated

## SECTION 15: REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### <u>Australia</u>

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

#### New Zealand

#### **HSNO Hazard Classification:**

Not Regulated

#### **HSNO Approval Number:**

This product is exempt or excluded from approval under the Hazardous Substances and New Organisms Act (HSNO) HSNO Group Standard: None.

#### International Inventories

Inventory information may be utilizing alternative CAS#s or exemptions beyond those stated within this document For further information, please contact: ProductStewardship@houghtonintl.com

TSCA	Complies
DSL	Complies
AICS	Complies
PICCS	Complies
KECL	Complies
IECSC	Complies
ENCS	Does not Comply
TCSI	Complies
NZIoC	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

ENCS - Japan Existing and New Chemical Substances

TCSI - Taiwan National Existing Chemical Inventory

NZIoC - New Zealand Inventory of Chemicals

#### International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Chemicals Subject to Prior Informed Consent (PIC) Not applicable

#### Other Information

The highly refined base oil (Viscosity >20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical name	CAS No
Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated	101316-72-7
Lubricating oils (petroleum), used, noncatalytically refined	101316-73-8
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
Residual oils (petroleum), solvent deasphalted	64741-95-3
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4
Distillates (petroleum), solvent-refined light naphthenic	64741-97-5
Residual oils (petroleum), solvent-refined	64742-01-4
Extracts (petroleum), residual oil solvent	64742-10-5
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
Distillates(petroleum),hydrotreatedheavyparaffinic	64742-54-7
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9
Residual oils (petroleum), hydrotreated	64742-57-0
Lubricating oils (petroleum), hydrotreated spent	64742-58-1
Residual oils (petroleum), solvent-dewaxed	64742-62-7
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0
Paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7
Paraffin oils (petroleum), catalytic dewaxed light	64742-71-8
Lubricating oils (petroleum), C>25, hydrotreated bright stock-based	72623-83-7
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based,	72623-85-9
high-viscosity	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1
Lubricating oils	74869-22-0
Paraffin oils	8012-95-1
White mineral oil (petroleum)	8042-47-5
C18-C50 branched, cyclic and linear hydrocarbons – Distillates	848301-69-9

## **SECTION 16: OTHER INFORMATION**

**Revision Date** 

09-21-2019

**Revision Note** 

This SDS has been revised in the following section(s), Company Logo.

### Key or legend to abbreviations and acronyms used in the safety data sheet

TWA

Time weighted average

STEL

Short term exposure limit

Ceiling

Maximum limit value: Sensitizers

(s) - Skin

Skin designation Carcinogen

STOT SE - Specific target organ systemic toxicity (Single exposure) STOT RE - Specific target organ systemic toxicity (repeated exposure)

VOC - Volatile organic compounds

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**