


KV707X




VSM NON-WOVEN




Grain type	Aluminium oxide / Silicon carbide
Bonding	Full-resin bonded
Colour	Coarse = Brown (AO) Medium = Red (AO) Fine = Blue (AO) Very fine = Grey (SIC)
Backing	X-Polyester
Flexibility	Sturdy
Production width	1,000 mm

Materials



Features



Surface Conditioning material on a sturdy polyester backing for improving surface finishes, deburring, rust removal, cleaning, removal of scatter marks and paint coats. Special features are a very long service life, a uniform scratch pattern, good adaptability and no clogging.

AO = Aluminium oxide SIC = Silicon carbide

Fineness range:¹⁾



Benefits

- > Ideal for calendering sheet metal plates on wide-belt sanding machines
- > Uniform surface finish
- > Good adaptability
- > Extremely long service life
- > No clogging
- > Low extensibility
- > Waterproof

VSM · Vereinigte Schmirgel- und Maschinen-Fabriken AG

Siegmundstraße 17 · 30165 Hannover · Germany
T +49 511 3526 0 · F +49 511 3521 315
sales@vsmabrasives.com · www.vsmabrasives.com



Please scan this QR code for detailed product information.



¹⁾ Other fineness degrees upon request. Subject to technical changes.